

Tarantin
INDUSTRIES, INC.

HEATING HEARTH & OUTDOOR LIVING



HALO
RISE ABOVE

HearthRite

800.922.0724
WWW.TARANTIN.COM

2024-2025



All Pricing Is Online

Need an account?

Start one today at Tarantin.com



Download our app - Order from Anywhere



TABLE OF CONTENTS

●
WATER HEATERS: 04

●
OUTDOOR LIVING: 06

●
SPACE HEATERS: 13

●
CAST IRON STOVES: 22

●
LOGS & BURNERS: 23

●
FIREBOXES: 26

●
FIREPLACES: 27

●
INSERTS: 28

●
LINERS & REMOTES: 29

●
DIRECT VENTS: 30

●
VENTING: 31

CONDENSING TANKLESS WATER HEATERS




NPE-Advanced2 with Comfort-Flow, internal pump and buffer tank included.



NPE-Standard2, top rated unit for energy efficiency.



Available only in
AL, FL, GA, NC, SC, & TN



PART NUMBER	BTU INPUT		UNIFORM ENERGY FACTOR UEF	GPM @35° F RISE	GPM @45° F RISE	GPM @67° F RISE
	MIN	MAX				
NPE-180A2	10,000	150,000	0.95	8.4 (32)	6.5 (25)	4.3 (16)
NPE-210A2	12,000	180,000	0.95	10.1 (38)	7.8 (30)	5.1 (19)
NPE-240A2	13,300	199,900	0.95	11.2 (42)	8.7 (33)	5.6 (21)
NPE-150S2	18,000	120,000	0.93	6.8 (26)	5.3 (20)	3.4 (13)
NPE-180S2	10,000	150,000	0.96	8.4 (32)	6.5 (25)	4.4 (17)
NPE-210S2	12,000	180,000	0.96	10.1 (38)	7.8 (30)	5.3 (20)
NPE-240S2	13,300	199,900	0.96	11.1 (42)	8.7 (33)	5.8 (22)

NPE-2 SERIES WARRANTY

	APPLICATION	LABOR	PARTS	HEAT EXCHANGER
Residential	Standard or controlled recirculation	1 year	5 year	15 year
	Uncontrolled recirculation	1 year	3 year	5 year
Commercial or Combi*	Standard or controlled recirculation	1 year	5 year	8 year
	Uncontrolled recirculation	1 year	3 year	3 year

* Combi refers to a combination potable water and space heating application. Water heaters cannot be used in space heating only applications. For complete details please refer to the full warranty at navieninc.com.


NON-CONDENSING TANKLESS WATER HEATERS



NPN-External for outdoor only installations.



Available only in
AL, FL, GA, NC, SC, & TN



STAINLESS STEEL
HX AND BURNER

PREMIUM
INTEGRATED
CONTROLS

UNIVERSAL
INDOOR & OUTDOOR

RESIDENTIAL &
COMMERCIAL

CASCADE
CAPABLE

0.81 UEF

PART NUMBER	BTU INPUT		UNIFORM ENERGY FACTOR UEF	GPM @45° F RISE	GPM @60° F RISE	GPM @75° F RISE
	MIN	MAX				
NPN-120E-NG	10,700	120,000	0.81	4.4	3.3	2.6
NPN-120E-LP	10,700	120,000	0.81	4.4	3.3	2.6
NPN-160E-NG	10,700	160,000	0.81	5.8	4.4	3.5
NPN-160E-LP	10,700	160,000	0.81	5.8	4.4	3.5
NPN-180E-NG	10,700	180,000	0.81	6.6	5.0	4.0
NPN-180E-LP	10,700	180,000	0.81	6.6	5.0	4.0
NPN-199E-NG	10,700	199,900	0.81	7.4	5.5	4.4
NPN-199E-LP	10,700	199,900	0.81	7.4	5.5	4.4

NPN SERIES WARRANTY


APPLICATION		LABOR	PARTS	HEAT EXCHANGER
Residential	Standard or controlled recirculation	1 year	5 year	15 year
	Uncontrolled recirculation	1 year	3 year	5 year
Commercial or Combi*	Standard or controlled recirculation	1 year	5 year	8 year
	Uncontrolled recirculation	1 year	3 year	3 year

*Combi refers to a combination potable water and space heating application. Water heaters cannot be used in space heating only applications. For complete details please refer to the full warranty at navieninc.com.



OUTDOOR PIZZA OVEN

Available only in CT, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV



VERSA 16 HZ-1004-ANA

- Reaches 950°F cooking temperature in 12 minutes
- Cooks up to 16" Pizza in 5 minutes or less
- Includes a large (16" diameter) Cordierite Cooking Stone
- 360° Rotating Stone for hands free pizza making
- Patent Pending Dual Burner system for a balanced cook consistency
- Hinged Access Lid Design for easy and convenient maintenance
- Propane Fueled, compatible with 20lb LP Gas Tank or a 1lb Cannister
- Motor powered by both AC adapter or 2 D Batteries

PIZZA OVEN ACCESSORIES



**OUTDOOR
COUNTERTOP CART**
HZ-1004-ANA



**PIZZA STONE
CLEANING KIT**
HZ-3023



VERSA 16 OVEN COVER
HZ-5004



**COOK & SERVER
PIZZA KIT**
HZ-3022

OUTDOOR GRIDDLES



Elite1B



Elite2B



Elite3B



Elite4B

Available only in
CT, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV



HALO

RISE ABOVE

- Wall-to-wall cooking surface
- Wind proof design
- XL rear grease management
- Utensil cleanoff
- 20 lb adjustable or 1 lb cylinder

GRIDDLE	PART #	# OF BURNERS	# OF ZONES	COOKING AREA	CART INCLUDED?
Elite1B	HZ-1007-ANA	1	2		No
Elite2B	HZ-1003-XNA	2	4	480 sq. in.	Yes
Elite3B	HZ-1002-XNA	3	6	564 sq. in.	Yes
Elite4B	HZ-1001-XNA	4	8	720 sq. in.	Yes

PELLET GRILLS



Prime300



Prime550



Prime1100



Prime1500

Available only in
ME, VT, NH, RI, MA, CT, NY, NJ, PA, MD, VA, WV



HALO

RISE ABOVE

- 180°-500°F temperature range
- Direct sear system
- Rechargeable battery or AC adapter
- New technology - Igniter system
- 14, 18, & 22 lb pellet hopper capacity

PELLET GRILL	PART #	A/C ADAPTER	RECHARGEABLE BATTERY	COOKING AREA
Prime300	HZ-1005-ANA	Included	Optional	300 sq. in.
Prime550	HZ-1001-XNA	Included	Optional	553 sq. in.
Prime1100	HZ-1003-XNA	Included	Optional	1,129 sq. in.
Prime1500	HZ-1004-XNA	Included	Optional	1,474 sq. in.



SINGLE BURNER OUTDOOR PATIO STOVE

- 16" x 16" large cooking surface
- 13.25" tall welded steel frame
- 6" cast iron fry burner
- 36" stainless braided hose
- 10 PSI adjustable regulator

MODEL	DESCRIPTION
1114	Stainless Steel

BANJO COOKER WITH HOSE GUARD KAB4

- 16" large cooking surface
- 12.5" tall welded steel frame
- 10" cast iron burner
- 48" LPG stainless braided hose
- 0-30 PSI adjustable regulator



HIGH PRESSURE COOKER SP10

- 14" diameter cooking surface
- 12.5" tall welded steel frame
- 48" stainless braided hose
- 10 PSI regulator with brass control valve
- 360° wind-screen protection
- Wide leg design for stability



SPORTSMAN'S CHOICE COOKER B-135

- 14" diameter cooking surface
- 21" tall welded steel frame
- 10 qt. aluminum fry pot/basket
- 36" stainless braided hose
- 10 psi adjustable regulator
- 360° windscreen protection





GOURMET SEASONING INJECTOR

MSCP-MSS-INJ Stainless Steel

Inject turkey, chicken, brisket, roast and pork with liquid marinades and spice mixes to enhance flavor.

- Two 6" stainless steel needles, one for liquid marinade and one for minced garlic and onion
- Injector capacity 2 oz.
- Dishwasher safe



RESTAURANT QUALITY ALUMINUM COOKWARE

Easy to hold oversize handles, lid and straining basket! Heavy duty, restaurant quality aluminum.

PART NO.	SIZE	DEPTH	HEIGHT	GAUGE
AP-60	60 qt.	17"	18"	2 mm
AP-80	80 qt.	19.625"	15.75"	2 mm
AP-100	100 qt.	19.625"	15.75"	2.5 mm

Replacement baskets available
Please call with stockpot dimensions



TURKEY FRYER KIT 1118

- 32 qt stockpot with lid 12"D x 16.25H
- Perforated steam/boil basket
- Perforated poultry rack and lift hook
- 12" thermometer 50°F-750°F
- 3 piece detachable skewer set
- 1 oz. seasoning injector



GRILL ACCESSORIES

BAYOU CLASSIC COOKERS ACCESSORIES



BG10

- High pressure cast iron burner
- 4" diameter x 9" length
- Air control disc
- For round Bayou Classic Cookers



BG12

- High pressure cast iron fry burner
- 6" diameter x 11" length
- Air control disc
- For square Bayou Classic Cookers



M5HPR

- 36" stainless braided hose
- 0-10 PSI adjustable regulator
- 1/4" male orifice connector
- Clam shell pack
- For BG10 and BG12 burners



M5HPR-1

- 48" stainless braided hose
- 10 PSI adjustable regulator
- Brass control valve
- 3/8" flare swivel fitting
- Clam shell pack
- For BG10 single burners and double jet cookers

LIGHTERS & FIRE STARTERS



GAS IGNITOR

GM-4

- Piezo electric ignition
- Refillable butane
- Battery included



LIGHTER

GM-3

- Long continuous spark
- Refillable butane
- Battery included



HANDILITE

MSCP-HANDILITE

with magnet

Ideal for lighting grills, fireplaces and campfires.

- Extends 2'
- Folds to 6"
- Pocket clip included



GAS IGNITOR CONTINUOUS IGNITION

GM-3X

- Refillable butane
- Battery included
- 15" flexible nozzle bends into any shape
- Never blows out

GRILL ACCESSORIES

TANK FOOT STABILIZER



TF-01

Durable, rugged and flexible. High impact UV resistant plastic ring prevents cylinder from toppling.



PART NO.	TYPE
JDMAX10	XL Briquets
JDJAXLEGEND20	BBQ Pellets



PATIO HEATER

- ◆ Infrared patio heater provides radiant warmth in a 360 degree circle with a 20 foot diameter.
- ◆ No electricity required.
- ◆ Portable wheel kit included.
- ◆ 4 cup holders in base.
- ◆ Sleek design available in stainless steel.
- ◆ Professional performance. Provides a powerful 40,000 BTU/hr.
- ◆ UL listed and safety certified. Includes a flame failure safety device and weighted base as standard.
- ◆ Accepts a standard 20 lb. cylinder
- ◆ Convenient, matchless piezo ignition system.

PHS40-L6



GRILL REPLACEMENT PARTS



PROPANE REGULATORS

PART NO.	TYPE	PSI	SIZE
350-00	High Pressure	0-15 adj	1/4" FPI x 1/4" FPI
130-GR610B	High Pressure	10 psi	1/4" FNT x 1/4" FPI
230-GR800	Low Pressure Single Stage		1/4" x 3/8"

ACME ADAPTERS



ME399

- 1-5/16" M ACME adapter x F.POL x 1/4" MNPT adapter with quick closing shutoff poppet

ME393-1

- 1-5/16" M ACME x 1/4" FNPT adapter

POL ADAPTER

ME393HD Heavy-duty Forging

Allows quick connection from QCC fill adapter to a male POL fill connector.



- Convenient hex for secure connection to QCC fill device
- Easy to grip large diameter hardwheel
- Quick and easy to install
- 1-5/16" M ACME x SN swivel POL connection



HOSES

PART NO.	IMAGE	TYPE	LENGTH	FITTING SIZE
150-I5LTC24GRQC	A	Replacement Hose and Regulator	24"	3/8" FFL
150-I5LTC36GRQC	A	Replacement Hose and Regulator	36"	3/8" FFL
42610-24	B	Replacement Grill Hose	24"	3/8" MPT x 3/8" FEFL
40407-48	C	Camping Appliance Hose	48"	POL x 1" 20 male swivel
40407-60	C	Camping Appliance Hose	60"	POL x 1" 20 male swivel
40407-144	C	Camping Appliance Hose	144"	POL x 1" 20 male swivel
556#1793	D	Quick Disconnect Couplers-Natural Gas	12'	3/8" FFL End
B90P	E	Propane Hose Safety Guard	2'	



PIGTAILS - UL LISTED

PART NO.	IMAGE	LENGTH	FITTING SIZE	MORE INFO
40408-15	A	15"	1/4" Inv Flare x Type 1 Acme	1/4" ID High Pressure Assemblies
40408-20	A	29"	1/4" Inv Flare x Type 1 Acme	1/4" ID High Pressure Assemblies
40409-15	B	15"	1/4" MNPT x Type 1 Acme	
40402-24	C	24"	1/4" Inv Flare x Soft Nose	Handwheel Excess Flow POL

GRILL PARTS

OUTLET BOXES

- Universal 1-5/16" M Acme/F. POL outlet connection
- Universal 1/2" FNPT inlet connection
- Universal mounting hinge
- For use with 0-250 PSI inlet pressure
- Weather resistant high density polyethylene case

COLOR	SINGLE OUTLET	DUAL OUTLET
Ivory	ME951IVY	ME952IVY
Black	ME951BLK	ME952BLK
Gray	ME951GRY	ME952GRY



HOSES FOR OUTLET BOX (not pictured)

- Rubber hose, 1/4" ID
- 3/8" female flare x 1-5/16" male ACME

PART NO.	LENGTH
I4C60FS6QC	5'
I4C120FS6QC	12'

GAS GRILL "QUICK CONNECT" MALE PLUG ONLY

F276328

- 1/4" male pipe x male plug



FILL ADAPTER FOR GAS MATE II AND QUICK DISCONNECT VALVE

F276329



STEEL GAS OUTLET BOX NG-OUTLET-1

- Quick disconnect
 - Permanently mounted
 - Accessory hose **556#1793**
- Also available in white plastic housing: NG-OUTLET-2



QUICK CONNECTORS



PART NO.	SIZE
F276186	1/4"M x 1/4"F
F276187	3/8"M x 3/8"F



PLUG, DECAL & CHAIN

737-5

- Packed 100s



TYPE I DUST CAP DC-QCC1



TYPE 1 REGULATOR CONNECTOR

COLOR	PART NO.	BTU
Black	G-1851-A02	0-70,000
Green	G-1851-A03	71,000-200,000 BTU high flow



HSVFR10



HSSVFR20



HSSVFR30

INFRARED VENT-FREE HEATERS

MODEL	FUEL TYPE	BTU	HEATING AREA	HEAT ADJUSTMENT
HSVFR10NG	Natural Gas	10,000 BTU	up to 300 sq. ft.	Low and High heat settings with Thermostat LP Only
HSSVFRD10LPT	Propane			
HSSVFRD20NGBT	Natural Gas	20,000 BTU	up to 600 sq. ft.	Includes fan, thermostat, and electronic ignition
HSSVFRD20LPBT	Propane			
HSSVFRD30NGBT	Natural Gas	30,000 BTU	up to 1,000 sq. ft.	Includes fan, thermostat, and electronic ignition
HSSVFRD30LPBT	Propane			



HSVFB10



HSSVFB20



HSSVFB30

BLUE FLAME VENT-FREE HEATERS

MODEL	FUEL TYPE	BTU	HEATING AREA	HEAT ADJUSTMENT
HSVFB10NG	Natural Gas	10,000 BTU	up to 300 sq. ft.	Low and High heat settings with Thermostat LP Only
HSVFB10LP	Propane			
HSSVFBF10LPT	Propane	20,000 BTU	up to 600 sq. ft.	Includes fan, thermostat, and electronic ignition
HSSVFB20NGBT	Natural Gas			
HSSVFB20LPBT	Propane	30,000 BTU	up to 1,000 sq. ft.	Includes fan, thermostat, and electronic ignition
HSSVFB30NGBT	Natural Gas			
HSSVFB30LPBT	Propane			

All heaters include blower, floor stand, and bracket

HearthRite



INFRARED VENT-FREE HEATERS

MODEL	IGNITION	BTU	FUEL	CONTROL TYPE
HRW06ML	SP/Piezo	6,000	Propane	Manual
HRW06MN	SP/Piezo	6,000	Natural Gas	Manual
HRW10ML	SP/Piezo	10,000	Propane	Manual
HRW10MN	SP/Piezo	10,000	Natural Gas	Manual
HRW10TL	SP/Piezo	10,000	Propane	Thermostat
HRW10TN	SP/Piezo	10,000	Natural Gas	Thermostat
HRW17ML	SP/Piezo	16,800	Propane	Manual
HRW17TL	SP/Piezo	17,100	Propane	Thermostat
HRW18MN	SP/Piezo	18,000	Natural Gas	Manual
HRW18TN	SP/Piezo	18,000	Natural Gas	Thermostat
HRW25ML	SP/Piezo	25,000	Propane	Manual
HRW25TL	SP/Piezo	25,000	Propane	Thermostat
HR30TN	SP/Piezo	30,000	Natural Gas	Thermostat



BLUE FLAME VENT-FREE HEATERS

MODEL	IGNITION	BTU	FUEL	CONTROL TYPE
HBW06ML	SP/Piezo	6,000	Propane	Manual
HBW06MN	SP/Piezo	6,000	Natural Gas	Manual
HBW10ML	SP/Piezo	10,000	Propane	Manual
HBW10MN	SP/Piezo	10,000	Natural Gas	Manual
HBW10TL	SP/Piezo	10,000	Propane	Thermostat
HBW10TN	SP/Piezo	10,000	Natural Gas	Thermostat
HBW20ML	SP/Piezo	20,000	Propane	Manual
HBW20MN	SP/Piezo	20,000	Natural Gas	Thermostat
HBW20TL	SP/Piezo	20,000	Propane	Thermostat
HBW20TN	SP/Piezo	20,000	Natural Gas	Thermostat
HBW30ML	SP/Piezo	30,000	Propane	Manual
HBW30MN	SP/Piezo	30,000	Natural Gas	Manual
HBW30TL	SP/Piezo	30,000	Propane	Thermostat
HBW30TN	SP/Piezo	30,000	Natural Gas	Thermostat

ACCESSORIES

MODEL	DETAILS	FITS HEATERS
HABLR	Blower	15,000-30,000 BTU
HABF	Stand	6,000-30,000 BTU, 2011 and newer



SR-10

INFRARED VENT-FREE HEATERS

PROPANE MODEL	NAT GAS MODEL	IGNITION	BTU	SETTING TYPE
SR18WLP	SR18WNAT	SP/Piezo	18,000	Manual 3-Heat
SR18TWLP	SR18TWNAT	SP/Piezo	18,000	Hydraulic Thermostat
SR30TWLP	SR30TWNAT	SP/Piezo	30,000	Hydraulic Thermostat



SR-30

ACCESSORIES (INFARED VENT-FREE HEATER)

MODEL	DETAILS
SRB18TW	Automatic Blower for SR18TW
SRB30TW	Blower for BF-30, SR30-T
SRS18W	Stand for Floor Installation of SR18W, SR18TW
SRS30W	Stand for Floor Installation of SR30W, SR30TW

BLUE FLAME VENT-FREE HEATERS



BF-20

PROPANE MODEL	NAT GAS MODEL	IGNITION	BTU	THERMOSTAT
BF10WLP	BF10WNAT	SP/Piezo	10,000	Hydraulic
BF20WLP	BF20WNAT	SP/Piezo	20,000	Modulating Hydraulic
BF30WLP	BF30WNAT	SP/Piezo	30,000	Modulating Hydraulic



BF-30

ACCESSORIES (BLUE FLAME VENT-FREE HEATERS)

MODEL	DETAILS
SRB18TW	Automatic Blower for BF10W, BF20W
SRB30TW	Automatic Blower for BF30W
SRS18W	Stand for Floor Installation of BF10W, BF20W
SRS30W	Stand for Floor Installation of BF30W

DIRECT VENT WALL FURNACES



DV-215

MODEL	FUEL	IGNITION	BTU	THERMOSTAT TYPE
DV210SGXLP	Propane	SP/Piezo	10,000	Not Included
DV215SGXLP	Propane	SP/Piezo	15,000	Not Included
DV-25-SG-LP	Propane	SP/Piezo	25,000	Wall Thermostat, Millivolt
DV-35-SG-LP	Propane	SP/Piezo	35,000	Wall Thermostat, Millivolt



DV-25

ACCESSORIES (DIRECT VENT WALL FURNACES)

MODEL	DESCRIPTION
DVB-1	Automatic Blower for DV210 and DV215
DRB-1	Automatic Blower for DV-25 and DV-35
TRW	Wireless Remote Wall Thermostat



DV-55

DIRECT VENT WALL FURNACES

PROPANE MODEL	IGNITION	BTU	VOLTAGE
DVC55SPPXLP	SP/Piezo	55,000	24V

*Vent Kit/Cap Included
Thermostat not included

ACCESSORIES

MODEL	DETAILS
TRW	Wireless Remote Wall Thermostat



RH-35 P/N

VENTED ROOM HEATERS

PROPANE MODEL	IGNITION	BTU	THERMOSTAT TYPE
RH-35-LP	SP/Piezo	35,000	Hydraulic

ACCESSORIES

MODEL	DETAILS
DRB-1	Automatic Blower



RH-65B P/N

VISUAL FLAME HEATERS (WITH BLOWER)

PROPANE MODEL	IGNITION	BTU	THERMOSTAT TYPE
RH-50B-LP	SP/Piezo	50,000	Hydraulic
RH-65B-LP	SP/Piezo	65,000	Hydraulic



RH-50C P/N

CLOSED FRONT ROOM HEATERS

PROPANE MODEL	IGNITION	BTU	THERMOSTAT TYPE
RH-65CB-LP*	SP/Piezo	65,000	Hydraulic
RH-50CB-LP*	SP/Piezo	50,000	Hydraulic

*Blower Installed

L.B.WHITE



CONSTRUCTION HEATERS

PART NUMBER	BTU	CFM	IGNITION	BURNER	MATERIAL	HOSES
WORKMAN 225 PLUS	40-225K	1,000	Piezo Pilot	Stainless	Aluminized Steel	10'
NORSEMAN 200 PLUS	200,000	850	Piezo Pilot	Cast Iron	Heavy Gauge Painted Steel	10'
NORSEMAN 250 (341)	250,000	1041	Pilot	Cast Iron	Heavy Gauge Painted Steel	10'

L.B. White Workman and Norseman convection heaters deliver highly efficient heat without the need for electricity.

*All construction heaters run on propane except the WORKMAN 100N PLUS which runs on natural gas.



Mr. Heater

CABINET HEATER

For patios, decks, and construction sites. Hi-Med-Low settings, automatic low oxygen shut-off system, requires no electricity,

6-18k BTU/hour. Operates on a standard 20 lb. cylinder.

Model: MH18CH



HEATSTAR
by ENERCO

CONVECTION HEATERS

PART NO.	BTU	RUNTIME	AREA
HS80CV	30-80k	14 hrs	1,900 sq. ft.
HS200CV*	75-200k	29 hrs	4,700 sq. ft.

*Comes with 12" hose and regulator

HOSES



MODEL	DESCRIPTION
F273702	12 ft. Hose & Regulator Assembly. Connects appliances using a disposable cylinder to a 20 lb. cylinder. Hand tighten swivels (1"-20") on both ends. Male Throwingaway Cylinder Thread x Excess Flow Soft Nose P.O.L with Hand wheel
F273711	12 ft. Propane Hose Assembly. Commonly used with most distribution posts or T and Y connectors. Swivel 1"-20". Male Throwingaway Cylinder Thread x Swivel 1 - 20 in. Female Throwingaway Cylinder Thread.

* Call for other hose lengths.



ATV/GOLF CART HEATER

MODEL	DESCRIPTION	BTU
MH4GC	ATV/Golf Cart Heater (Propane)	4,000 BTU/Hr.



TANK TOP HEATERS

MODEL	BTU	IGNITION	USE WITH
MH15TS	8,000-14,000	Electronic Spark	5-20 lb cylinder
MH30TS	8,000-28,000	Electronic Spark	20 lb cylinder
MH540T	48,000	Push Button	20 lb cylinder



MANUAL FORCED AIR HEATERS

MODEL	BTU	IGNITION	HOSE	RUNTIME	AREA
HS35FA	35,000	Piezo	20 ft.	12 hrs	800 sq. ft.
HS55FAV	30,000-50,000	Continuous	20 ft.	14 hrs	1,250 sq. ft.
HS125FAV	75,000-125,000	Continuous	10 ft.	11 hrs	3,000 sq. ft.

*Call for other hose lengths



THERMOSTAT FORCED AIR HEATERS

MODEL	BTU	HOSE	RUNTIME	AREA
HS170FAVT	125,000-170,000	10 ft.	17 hrs	4,000 sq. ft.
HS400FAVT	250,000-400,000	20 ft.	17 hrs	9,000 sq. ft.

*Call for other hose lengths



PORTABLE HEATERS

MODEL	BTU	CFM	IGNITION	BURNER	CASE MATERIAL	HOSE
TRADESMAN 100	100,000	350	Direct Spark	Stainless	Steel w. Tri-Shield Coating	10'
TRADESMAN 170	170,000	625	Direct Spark	Stainless	Steel w. Tri-Shield Coating	10'
TRADESMAN 170 ULTRA	170,000	625	Direct Spark	Stainless	Steel w. Tri-Shield Coating	10'
TRADESMAN 400	400,000	1582	Direct Spark	Cast Iron	Steel w. Tri-Shield Coating	10'
TRADESMAN 400 ULTRA	400,000	1582	Direct Spark	Cast Iron	Steel w. Tri-Shield Coating	10'

L.B. White Tradesman portable forced air heaters offer the best value in economical, high-volume construction heating.



GARAGE/ SHOP HEATERS

MODEL	ACCESSORIES
GH22L	22,000 BTU, Propane, Heats up to 600 sq. ft.
GH25N	25,000 BTU, Natural Gas, Heats up to 600 sq. ft.




HD POWER-EXHAUSTED GAS-FIRED UNIT HEATERS

Certified for all types of use, lightweight, easy installation, low-profile design, full 10-year warranty on heat exchanger.

NATURAL GAS MODEL	PROPANE MODEL	BTU	VENT SIZE
HD30AS0111	HD30AS0121	30,000	3"
HD45AS0111	HD45AS0121	45,000	3"
HD60AS0111	HD60AS0121	60,000	3"
HD75AS0111	HD75AS0121	75,000	3"
HD100AS0111	HD100AS0121	100,000	4"
HD125AS0111	HD125AS0121	125,000	4"

VENTING FOR POWER EXHAUSTED UNIT

Kit includes: universal appliance adapter, two 12" vent lengths, termination tee, wall thimble, and adjustable vent length.



MODEL	DESCRIPTION
FSCMK3	3" Vent Diameter
FSCMK04	4" Vent Diameter

HDS SEPARATED COMBUSTION GAS-FIRED UNIT HEATERS



Same features as the HD model on previous page, but combustion air is drawn from outside the work space, ensuring fresh, clean air and leading to increased heating efficiency, greater durability, and reduced maintenance.

NATURAL GAS MODEL	PROPANE MODEL	BTU
-	HDS45AS0121	45,000
HDS60AS0111	HDS60AS0121	60,000
HDS75AS0111	HDS75AS0121	75,000
HDS100AS0111	HDS100AS0121	100,000
HDS125AS0111	HDS125AS0121	125,000
PTS150AS0111	PTS150AE0121	150,000
-	PTS175AS0121	175,000
PTS200AS0111	PTS200AS0121	200,000
PTS250AS0121	PTS250AS0121	250,000
-	PTS300AS0121	300,000
-	PTS350AS0121	350,000



HIGH EFFICIENCY II POWER EXHAUSTED GAS-FIRE UNIT HEATER

The PDP (propeller) High Efficiency II gas-fired unit heaters are easy to use, inexpensive to install, and are certified for both commercial and industrial applications.



MODEL		BTU
NATURAL GAS	PROPANE	
PDP150AE0130	PDP150AE0185	150,000
PDP175AE0130	PDP175AE0185	175,000
PDP200AE0130	PDP200AE0185	200,000
PDP250AE0130	PDP250AE0185	250,000
-	PDP300AE0185	300,000
-	PDP350AE0185	350,000




TENT HEATERS

The Premier's clean look, quiet operation, and fuel efficient direct-fired design make it the perfect heating solution for any tented event.



MODEL	BTU	CFM	IGNITION	BURNER	CASE MATERIAL
PREMIER 80	80,000	450	Direct Spark	Stainless	Exclusive Tri-Shield Coating
PREMIER 170	170,000	1200	Direct Spark	Stainless	Exclusive Tri-Shield Coating

SUNSTAR INFRARED GAS HEATERS



NATURAL GAS MODEL	PROPANE MODEL	BTU
SGM3-N1	SGM3-L1	26,000
SGM6-N1	SGM6-L1	52,000
SGM10-N1	SGM10-L1	104,000

NAT. GAS MODEL	PROPANE MODEL	BTU
SG3-N	----	30,000
----	SG3-L	32,000
SG4-N	----	40,000
SG6-N	----	60,000
----	SG6-L	65,000
SG8-N	----	80,000
SG10-N	SG10-L	100,000
SG12-N	----	120,000
----	SG13-L	130,000
SG14-N	----	140,000
SG15-N	----	155,000




NATURAL GAS MODEL	PROPANE MODEL	BTU
SIR25-15-N	SIR25-15-L	25,000
SIR35-15-N	SIR35-15-L	35,000
SIR45-15-N	SIR45-15-L	45,000

MODEL	ACCESSORIES COMPATIBLE WITH ABOVE MODELS
30348020	Line Voltage Thermostat
43240020	Night Setback Thermostat
41690350	Hanging Kit: 35 ft. chain w. 12 S-hooks

SUNSTAR INFRARED TUBE HEATERS



Pull Through: Combustion products are pulled through the combustion chamber for increased efficiency and safety.



STRAIGHT TUBE	BTU	EMITTER TUBE LENGTH
SIS50	50,000	15 ft, 20 ft, 30 ft
SIS75	75,000	20 ft, 30 ft
SIS100	100,000	30 ft, 40 ft
SIS125	125,000	30 ft, 40 ft, 50 ft
SIS150	150,000	40 ft, 50 ft
SIS175	175,000	40 ft, 50 ft

U-TUBE	BTU	EMITTER TUBE LENGTH
SIU50	50,000	15 ft, 20 ft, 30 ft
SIU75	75,000	20 ft, 30 ft
SIU100	100,000	30 ft, 40 ft
SIU125	125,000	30 ft, 40 ft, 50 ft
SIU150	150,000	40 ft, 50 ft
SIU175	175,000	40 ft, 50 ft



VENT-FREE CAST IRON STOVE WITH CONTOUR BURNER

MODEL	PROPANE	FINISH	CONTROL TYPE
VFD-30-CC30FP	4	Matte Black	Millivolt
VFD-30-CC30BP	4	Porcelain Black	Millivolt
VFD-30-CC30MP	4	Porcelain Mahogany	Millivolt

All have On/Off Switch, weigh 205 lb, and are 25,000 BTU. Includes 6-piece log set.

DIRECT VENT CAST IRON STOVE WITH SLOPE GLAZE BURNER

MODEL	PROPANE	FINISH	CONTROL TYPE
DVP-30-CC30FP	4	Matte Black	Millivolt

All have On/Off Switch, weigh 240 lb, and are 26,500 BTU. Includes 4-piece log set and Matte Black Barrier Screen.

CONVERSION KITS FOR DIRECT-VENT

MODEL	DESCRIPTION	CONTROL TYPE
EMP31057	Propane to Natural	Millivolt
EMP31058	Natural to Propane	Millivolt

ACCESSORIES FOR VENT-FREE AND DIRECT-VENT

MODEL	DESCRIPTION
CIB-3	Automatic Variable Blower, 120 VAC
DVKHP-45	Horizontal Termination Kit

MILLIVOLT CONTROL OPTIONS FOR VENT-FREE AND DIRECT-VENT

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
TMV	Wall Thermostat- Reed Switch
TRW	Wall Thermostat, Wireless Remote

SHELF-KIT FOR VENT-FREE AND DIRECT-VENT

MODEL	DESCRIPTION
CSK-F	Matte Black, fits VFD & DVP



VENT-FREE CAST IRON STOVE

MODEL	PROPANE	CONTROL TYPE	WEIGHT	BTU	LOG PCS
HRSQ25MVL	4	Manual	52 lbs	25,000	5

ACCESSORIES

MODEL	DESCRIPTION
FRSC	Remote, Solenoid, Battery Receiver/Remote, Thermostat
HAQBLR	Blower Kit



CERAMIC LOG SETS



MODEL	TYPE	FUEL	SIZE	PIECES	BTU	IGNITION
VFDR-18LB10P*	VF/Vented Log Set	Propane	18"	5	10,000	Millivolt
VFDR-18LBP*	VF/Vented Log Set	Propane	18"	5	28,000	Millivolt
VFDR-18LBN*	VF/Vented Log Set	Nat Gas	18"	5	28,000	Millivolt
VFDR-24LBP*	VF/Vented Log Set	Propane	24"	5	34,000	Millivolt
VFDR-24LBN*	VF/Vented Log Set	Nat Gas	24"	5	34,000	Millivolt
VFDR-30LBP*	VF/Vented Log Set	Propane	30"	6	40,000	Millivolt
VFDT-18LBP	Vent-Free Log Set	Propane	18"	5	28k	Hi/Low Knob Thermostat
VFDT-24LBP	Vent-Free Log Set	Propane	24"	5	34k	Hi/Low Knob Thermostat

*Comes with an On/Off Switch - Includes countour burner

MILLIVOLT CONTROL OPTIONS

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
TMV	Wall Thermostat- Reed Switch
TRW	Wall Thermostat, Wireless Remote

For more remotes see p. 29

ACCESSORIES

MODEL	DESCRIPTION
EK-1	Ember Log Kit
PE-20-12	Platinum Embers (12 pack)

REFRACTORY LOG SETS
BURNER INCLUDED

NAME	MODEL	TYPE	FUEL	SIZE	PIECES	BTU	IGNITION
Whiskey River Refractory	VFDR-18LBWP*	Vent-Free/Vented	Propane	18"	7	28,000	Millivolt
Whiskey River Refractory	VFDR-24LBWP*	Vent-Free/Vented	Propane	24"	7	34,000	Millivolt
Whiskey River Refractory	VFDR-30LBWP*	Vent-Free/Vented	Propane	30"	7	40,000	Millivolt
Kennesaw	HVF2R24P	Vent-Free	Propane	24"	6	39,000	Millivolt

*Comes with an On/Off Switch

MILLIVOLT CONTROL OPTIONS

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
TMV	Wall Thermostat- Reed Switch
TRW	Wall Thermostat, Wireless Remote

For more remotes see p. 29

ACCESSORIES

MODEL	DESCRIPTION	FOR
EK-1	Ember Log Kit	Whiskey River
PE-20-12	Platinum Embers (12 pack)	Whiskey River
ELH-1	Adjustable Hood, Black 28-48"	Kennesaw



REFRACTORY LOG SETS

BURNER SOLD SEPARATELY



NAME	MODEL	SIDES	SIZE	PCS	SLOPE GLAZE BURNERS		
					PROPANE	NAT GAS	BTU
Stacked Aged Oak	LS-18SRAO	Single	18"	8	VFSE-18-LP	VFSE-18-N	32k
Stacked Aged Oak	LS-24SRAO	Single	24"	8	VFSE-24-LP	VFSE-24-N	36k
Sassafras	LS-18RS	Single	18"	6	VFSE-18-LP	VFSE-18-N	32k
Sassafras	LS-24RS	Single	24"	6	VFSE-24-LP	VFSE-24-N	36k
Sassafras	LS-30RS	Single	30"	6	VFSE-30-LP	VFSE-30-N	38k
Super Sassafras	LS-24RSS	Single	24"	7	VFSE-24-LP	VFSE-24-N	36k
Super Sassafras	LS-30RSS	Single	30"	7	VFSE-30-LP	VFSE-30-N	38k
Ponderosa	LS-18P	Single	18"	13	VFSE-18-LP	VFSE-18-N	32k
Ponderosa	LS-24P	Single	24"	13	VFSE-24-LP	VFSE-24-N	36k
Ponderosa	LS-30P	Single	30"	13	VFSE-30-LP	VFSE-30-N	38k
Kennesaw	HLS24R2	Single	24"	9	VFSE-24-LP	VFSE-24-N	36k
Rock Creek	LSU30RR	Multi	30"	11	VFSUR30P	-	40k
Wildwood	LS24WRS	Single	24"	7	VFSE-24-LP	VFSE-24-N	36K
Burncrete Driftwood	LS24CD	Single	24"		VFSR-24-LP	VFSR-24-N	36K

VARIABLE FLAME HEIGHT CONTROL VF/VENTED

MODEL	FUEL	SIZE	BTU
VFSV-24-LP	Propane	24"	36k

Comes with an On/Off Switch

ACCESSORIES

MODEL	DESCRIPTION
EK-1	Ember Log Kit
PE-20-12	Platinum Embers (12 pack)

MILLIVOLT VF/VENTED WITH ON/OFF SWITCH MILLIVOLT CONTROL OPTIONS

MODEL	FUEL	SIZE	BTU	MODEL	DESCRIPTION
VFSR-16-LP	Propane	16"	25k	FRBC-1	Battery Remote On/Off
VFSR-18-LP	Propane	18"	32k		
VFSR-18-N	Nat Gas	18"	32k	FRBTC-1	Battery Remote, Thermostat
VFSR-24-LP	Propane	24"	36k		
VFSR-24-N	Nat Gas	24"	36k	TRW	Wall Thermostat, Wireless Remote
VFSR-30-LP	Propane	30"	38k		
VFSR-30-N	Nat Gas	30"	38k		

For more remotes see p. 29



*Pictured Above:
Breckenridge Deluxe 32,
Cherry Cabinet, Stainless
Steel Mission Louvers,
Mission Arch Doors, Hood,
and Outer Frame*

FIREBOXES

NAME	MODEL	DESCRIPTION	SIZE	WEIGHT	TYPE
Breckenridge	VFD-32-FB0F	Flush Face	32"	76 lb	Vent-Free
Breckenridge	VFD-32-FB0L	Louvers	32"	76 lb	Vent-Free
Breckenridge	VFD-36-FB0F	Flush Face	36"	96 lb	Vent-Free
Breckenridge	VFD-36-FB0L	Louvers	36"	96 lb	Vent-Free
Breckenridge	VFD-42-FB0F	Flush Face	42"	102 lb	Vent-Free
Breckenridge	VFD-42-FB0L	Louvers	42"	102 lb	Vent-Free
Breckenridge Select	VFS-42-FBOF	Flush Face	42"	102 lb	Vent-Free

LINERS

MODEL	DESCRIPTION
VBP-32-SA	Aged Brick
VBP-32-SG	Stacked Limestone



Liners must be sold with a unit.

aged brick stacked limestone

ACCESSORIES

MODEL	DESCRIPTION
EK-1	Ember Bed
FBB5	Single Speed Auto Blower (req. 120VAC)
SCV-1	Speed Control for Blower

OUTER FRAMES

MODEL	DESCRIPTION
VBS-32-SBL	32", Black
VBS-36-SBL	36", Black

MANTEL FINISHES

FINISH	MODEL	FOR
Cherry	EMBF-1S-C	Breckenridge 32"
White	EMBF-1S-W	Breckenridge 32"
White	EMBF-3S-W	Breckenridge 36"





VFD26FM & VFD26FP Series



VFPA32BP Series



VFP24FP Series



VENT-FREE FIREPLACES

NAME	MODEL	FUEL	SIZE	FRAME	MANTEL	BTU	BURNER	CONTROL
Vail*	VFP24FP30LP	Propane	24"	Black	EMC-22DO	20k	Slope Glaze	Millivolt
Vail*	VFP24FP30LN	Nat Gas	24"	Black	EMC-22DO	10k	Slope Glaze	Millivolt
Vail**	VFD26FM30CP	Propane	26"	-	Cherry	20k	Contour	Millivolt
Vail**	VFD26FM30WP	Propane	26"	-	White	10k	Contour	Millivolt
Vail**	VFD26FM30WN	Nat Gas	26"	-	White	20k	Contour	Millivolt
Vail**	VFD26FP30LP	Propane	26"	-	-	20k	Contour	Millivolt
Vail**	VFD26FP30LN	Nat Gas	26"	-	-	20k	Contour	Millivolt
Vail Premium**	VFPA32BP30L-LP	Propane	32"	Black		32k	See Below	Millivolt, Blower
Vail Premium**	VFPA32BP31L-LP	Propane	32"	Black	EMBF-1S-C	32k	See Below	Millivolt, Blower
Vail Premium**	VFPA32BP31LN	Nat Gas	32"	Black	EMBF-1S-C	32k	See Below	Millivolt, Blower
Vail Premium**	VFPA36BP31L-LP	Propane	36"	Black	-	36K	See Below	Millivolt, Blower
Vail Premium**	VFPA36BP31LN	Nat Gas	36"	Black	-	36K	See Below	Millivolt, Blower

*Louvers Included

**Has On/Off Switch Thermostat- has Hi-Low Knob

VAIL PREMIUM LOG SET (REQUIRED)

MODEL	DESCRIPTION	PCS	WIDTH	FOR
LS-24EF	Ceramic Fiber	5	24"	32"
LS-24RS	Sassafrass Refractory	6	24"	32"
LS-30RS	Sassafrass Refractory	6	30"	36"

MILLIVOLT CONTROL OPTIONS

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, T'stat
TRW	Wall T'stat- Wireless Remote


For more remotes see p. 29

ACCESSORIES

MODEL	DESCRIPTION
PE20-12	Platinum Embers (12 pack)
FBB4	Variable Speed Blower (Requires FBBX)
EK-1	Ember Bed Kit
FBBX	Blower Wire Harness (for FBB4)



banded brick



cherry

LINERS (FOR VFD26FM SERIES)

MODEL	DESCRIPTION
FPP26E	Banded Brick

CABINET FINISHES (32" VAIL PREMIUM)

FINISH	CABINET (144 LB)
Cherry	EMBF-1S-C



Pictured Above: Innsbrook 20,000 BTU Vent-Free Fireplace Insert shown with 6x6-inch metal surround

INNSBROOK VENT-FREE FIREPLACE/INSERT MEDIUM

MODEL	FUEL	CONTROL TYPE	BTU	BLOWER	SURROUND
VFPC28IN33P	Propane	Millivolt*	28,000	Yes	3-Sided, 1 Piece, Black

*Millivolt- has On/Off Switch

INNSBROOK DIRECT-VENT FIREPLACE/INSERT MEDIUM

MODEL	FUEL	CONTROL TYPE	BTU	BLOWER
DVC28IN31P	Propane	Millivolt*	28,500	Yes
DVC26IN31P	Propane	Millivolt*	26,000	Yes

*Millivolt- has On/Off Switch

ACCESSORY

MODEL	DESCRIPTION
SH-1-BL	Shroud for hearth opening, 48" x 36"

MILLIVOLT CONTROL OPTIONS

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, T'stat
TRW	Wall T'stat- Wireless Remote

For more remotes see p. 29



FIREPLACE LINERS

aged brick



banded brick

traditional brick



stacked limestone

PART NO.	LINER TYPE	FOR
VBP-32-SA	Aged Brick	Breckenridge 32" Vail 24" Vail Premium 32"
VBP-32-SG	Stacked Limestone	Breckenridge 32" Vail 24" Vail Premium 32"
FPP26E	Banded Brick	-
DVP-36-D2A	Aged Brick Liner	Direct Vent Insert Large
DVP28DF	Tradition Brick	Direct Vent Insert Large
VBP-36-SA	Aged Brick	Ceramic Fiber Fireboxes Vail Premium 32" Vail Premium 36"
EHL-24-1	Traditional Brick	Vail 24"
DVP26DF	Traditional Brick	Direct Vent Insert Medium Vail 26" Vail Premium 36"

Liner availability varies by product.

Liners must be sold with a firebox.



SKYTECH WIRELESS CONTROL SYSTEMS



MODEL	CONTROLS	INFO
1001	Transmitter	Battery powered. Two button ON/OFF transmitter. 65,536 security codes. Skytech batteries and wall clip included. Receiver with learn function. Snap on wall plate. Wires with connectors. Receivers can learn up to two additional Skytech transmitters.
SKY-5301	Touch Screen Transmitter	Battery powered, R.F. 1,048,576 security codes. Touch screen transmitter. Backlit LCD screen. Thermostatic control. Flame icon. Low battery indicator. 9 hour countdown timer. Child safety lock out.
3301	Battery Operated Transmitter	Battery powered R.F. 5-button Up/Mode/Down. 9 hour countdown timer/Set below flip cover with velvet touch casing. 1,048,576 security codes. LCD display. Temp in F or C. Skytech batteries. Wall clip. 24 hour clock. Flame icon & low battery indicator. Receiver with learn function. Snap on wall plate. Wires with connectors included.
3002	Battery Operated Transmitter	Battery operated R.F. 1,048,576 security codes. LCD displays both room and set temp in Celsius or Fahrenheit. Nine hour countdown timer. 24-hour clock. Flame icon and low battery indicator.

Other Models Available



TAHOE FIREPLACE - DELUXE 36 IN.
 ALSO AVAILABLE IN 32, 42 & 48 IN.

INSERTS

MODEL	FUEL	CONTROL TYPE	BTU	BLOWER
DVP36FP31-LP	Propane	Millivolt	20,000	Yes

*Millivolt & IP Systems have On/Off Switch
 Manufactured Home Unit includes LP Conversion Kit*

LINERS

MODEL	DESCRIPTION
DVP-36-D2A	Aged Brick



DIRECT VENT UNITS (4" X 6-5/8")

PART NO.	PIPE
SD-46DVA06	6 in. Pipe, Galvanized
SD-46DVA06B	6 in. Pipe, Black
SD-46DVA08A	8 in. Pipe Extension, Galvanized
SD-46DVA08AB	8 in. Pipe Extension Black
SD-46DVA09	9 in. Pipe, Galvanized,
SD-46DVA09B	9 in. Pipe, Black
SD-46DVA12	12 in. Pipe, Galvanized
SD-46DVA12B	12 in. Pipe, Black
SD-46DVA16A	16 in. Extension, Galvanized
SD-46DVA24	24 in. Pipe, Galvanized
SD-46DVA24B	24 in. Pipe, Black
SD-46DVA36	36 in. Pipe, Galvanized
SD-46DVA36B	36 in. Pipe, Black
SD-46DVA48	48 in. Pipe, Galvanized
SD-46DVA48B	48 in. Pipe, Black
SD-46DVA60	60 in. Pipe, Galvanized
SD-46DVA60B	60 in. Pipe, Black

PART NO.	ELBOW
SD-46DVAE45	Elbow 45 Degree, Galvanized
SD-46DVAE45B	Elbow 45 Degree, Black
SD-46DVAE90	Elbow 90 Degree, Galvanized
SD-46DVAE90B	Elbow 90 Degree, Black

PART NO.	VENT COMPONENTS
SD-46DVADC	Round Support Box Wall Thimble Cover
SD-46DVAF6	Adjustable Roof Flashing
SD-46DVAFS	Firestop- Ceiling
SD-46DVAGK	Linear Termination Kit
SD-46DVAHC	Cap- Hi-Wind Horizontal
SD-46DVASC	Storm Collar
SD-46DVASNK36	Snorkel 36 in. Pipe
SD-46DVAVCH	Cap- Hi-Wind Vertical
SD-46DVAVSS	Vinyl Siding Standoff

DIRECT VENT UNITS (4" X 6-5/8") CONT

PART NO.	VENT COMPONENTS
SD-46DVAWFS	Firestop- Wall
SD-46DVAWS	Wall Strap
SD-46DVAWT	Wall Thimble
SD-46DVAFCFX7	4x6 5/8 to 4x7 F,ex Connector (for use with DV(LL,TL) 41FP only)

DIRECT VENT UNITS (5" X 8")

MODEL	PIPE
SD-58DVA06	6 in. Pipe, Galvanized
SD-58DVA08A	8 in. Pipe Extension, Galvanized
SD-58DVA09	9 in. Pipe, Galvanized,
SD-58DVA12	12 in. Pipe, Galvanized
SD-58DVA16A	16 in. Pipe Extension, Galvanized
SD-58DVA24	24 in. Pipe, Galvanized
SD-58DVA36	36 in. Pipe, Galvanized
SD-58DVA48	48 in. Pipe, Galvanized
SD-58DVA60	60 in. Pipe, Galvanized

MODEL	ELBOW
SD-58DVAE45	Elbow 45 Degree, Galvanized
SD-58DVAE90	Elbow 90 Degree, Galvanized


MODEL	VENT COMPONENTS
SD-58DVAF6	Adjustable Roof Flashing
SD-58DVAFS	Firestop - Ceiling
SD-58DVAHC	Cap Horizontal Square
SD-58DVASC	Storm Collar
SD-58DVASNK14	Snorkel 14 in. Pipe
SD-58DVASNK36	Snorkel 36 in. Pipe
SD-58DVAVCH	Cap- Hi-Wind Vertical
SD-58DVAVSS	Vinyl Siding Standoff

Blank lined area for notes.

Tarantin

INDUSTRIES, INC.

SERVING THE UNITED STATES FROM COAST TO COAST!



NEXT DAY SERVICE

TWO DAY SERVICE

THREE DAY SERVICE

FOUR DAY SERVICE

TARANTIN LOCATIONS

- ★ Freehold, NJ
- ★ Brentwood, NH
- ★ Elizabethtown, PA
- ★ Richmond, VA
- ★ Birmingham, AL
- ★ Elkton, FL

800-922-0724 | WWW.TARANTIN.COM

