



Tahoe Direct-Vent Fireplaces

Deluxe, Deluxe Clean-Face,
Premium, Luxury, and Multisided

Tahoe Direct-Vent Luxury Fireplace (DVX36FP) with Banded Brick Liner installed in a Custom Mantel, with Custom Marble Surround, Matte Black Arch Louvers and Matte Black Extruded Aluminum Frame.



Deluxe & Deluxe Clean-Face Series

Deluxe Models

- 18,000 Btu, 32-inch, 5-piece Log Set
- 20,000 Btu, 36-inch, 5-piece Log Set
- 25,000 Btu, 42-inch, 7-piece Log Set
- 28,000 Btu, 48-inch, 7-piece Log Set

Deluxe Clean-Face Models

- 18,000 Btu, 32-inch, 7-piece Log Set
- 20,000 Btu, 36-inch, 7-piece Log Set
- 25,000 Btu, 42-inch, 7-piece Log Set

Deluxe models feature our Contour tube-style burner, designed to complement the hand-painted ceramic fiber log set, and produce a natural dancing flame.

Choose a conventional Deluxe Tahoe model – with louvers and available trim kits – or a Clean-Face Deluxe Fireplace – with a discreet air distribution channel that eliminates the look of louvers, yet still allows you to operate the optional blower. Both feature large heat-resistant, tempered glass windows that provide an unobstructed view to the log set.

Both the Deluxe and Deluxe Clean-Face Models share optional liner offerings – Aged Brick, Herringbone, Stacked Limestone, and Black Reflective.

DVD models require just 16 inches of depth; DVCD models require 17-3/4. Both use 4 x 6-5/8 venting, making them ideal for applications where wall-cavity space is tight.

Conventional Deluxe fireplaces may be installed in the wall or in a cabinet or corner mantel. Clean-Face systems are designed for in-wall installation. Tile or other non-combustible material may be used to conceal the outer edge of the fireplace to provide a true built-in appearance.

Deluxe and Deluxe Clean-Face models are offered in Millivolt and Intermittent Pilot.



Tahoe Deluxe 36 Direct-Vent Fireplace (DVD36FP) with Black Arch Louvers and Outer Frame in a Custom Cabinet.



Tahoe Deluxe 32 Clean-Face Direct-Vent Fireplace (DVCD32FP) with Aged Brick Liner and Barrier Screen (included) in Custom Mantel with Tile Surround.

Premium Series

Tahoe Premium Models

- 25,000 Btu Nat, 36-inch, 4-piece Log Set, 4 x 6 5/8 Venting
- 27,000 Btu LP, 36-inch, 4-piece Log Set, 4 x 6 5/8 Venting (Top-Vent Only)
- 28,000 Btu, 42-inch, 4-piece Log Set, 5 x 8 Venting
- 30,000 Btu, 48-inch, 4-piece Log Set, 5 x 8 Venting

The Premium Tahoe includes a tempered glass view window and a four-piece log set, mounted atop our legendary Slope Glaze Burner for a rich flame pattern within a taller, deeper log stack that complements the deeper fireplace (20 inches).

Liner options for Premium Models include: Aged Brick, Herringbone, Stacked Limestone, and Black Reflective.

Premium Tahoe models are available in Millivolt, Intermittent Pilot, and Multi-Function Remote Control.



Tahoe Premium 42 Direct-Vent Fireplace (DVP42FP) shown with Optional Herringbone Brick Liner.



Tahoe Premium 36 Direct-Vent Fireplace (DVP36FP) with White Corner Mantel shown with Optional Aged Brick Liner, Black Outer Frame, Black Slat Louvers, and Bottom Trim.

Luxury Series



Tahoe Luxury 42 Direct-Vent Fireplace (DVX42FP) with Banded Brick Liner, Custom Mantelshelf and Slate Tile Surround.

Tahoe Luxury Models

- 35,000 Btu Nat, 36-inch, 13-piece Log Set, 4 x 6 5/8 Venting (Top-Vent Only)
- 30,000 Btu LP, 36-inch, 13-piece Log Set, 4 x 6 5/8 Venting (Top-Vent Only)
- 37,500 Btu Nat, 42-inch, 13-piece Log Set, 5 x 8 Venting (Top-Vent Only)
- 35,000 Btu LP, 42-inch, 13-piece Log Set, 5 x 8 Venting (Top-Vent Only)



Tahoe Luxury 42 Direct-Vent Fireplace (DVX42FP) shown with Banded Brick Liner.

Tahoe Luxury models feature ceramic glass (for better heat transfer), a dimmer-controlled accent lamp inside the fireplace, automatic blower, and an intricately detailed 13-piece log set.

The larger Slope Glaze Excess Burner provides a fuller ember bed and generates more heat than a comparably sized Premium model.

Liner options for Luxury Models include: Banded Brick, Stacked Limestone, and Black Reflective.

Luxury models are offered in Millivolt, Intermittent Pilot, and Multi-Function remote.

Multisided Series

Tahoe Direct-Vent Multisided Fireplace Systems

Heater Rated at 35,000 Btu input, the Tahoe direct-vent system draws in outdoor air to support combustion and sends its exhaust directly outdoors, and must be located in a position that allows venting through an exterior wall or through the roof. Multisided Tahoe fireplaces install using readily available 4 x 6 5/8 direct-vent pipe.

Tahoe systems include a built-in 24-inch Slope Glaze Vista Burner, large tempered-glass viewing windows, Banded Brick Liner, ceramic fiber floor liner, dimmer controlled lighting, and glowing embers. The 24-inch Rock Creek Log Set and barrier screens must be ordered to complete the fireplace. (Doors are not available for multisided fireplaces.)



The Tahoe Premium 36 Peninsula Direct-Vent Fireplace (DVP36PP) includes the 35,000 Btu Slope Glaze Vista Burner (for use with Rock Creek refractory log set only), large tempered glass view windows, and Banded Brick Liner shown in Custom Mantel. Fireplace also available in See-Through models with two open sides.



Rugged looking refractory logs give the Rock Creek Log Set a rustic look on a grand scale.

*Left: Opposite side view.
Right: End view.*

Options & Accessories

Controls

Take charge of your Millivolt or IP fireplace with a battery-operated remote control, thermostat remote, electric remote control, wall thermostat, or wall switch.



*FRBTP
Remote Control*



*FRBTC Thermostat
Remote Control*



*FRBC or FREC
Remote Control*



*Multi-Function
Remote Control*



*TRW
Wall Thermostat*



*TMV
Wall Thermostat*




*FWS
Wall Switch*

Outer Frames and Bottom Trim

Our metal three-piece outer frames let you transition from your fireplace to the adjoining mantel or wall. Choose steel frames – with traditional crisp lines – or aluminum frames – that combines gentle concaves with flat surfaces. The frames and optional bottom trim are available in black and hammered pewter.

Extruded Aluminum Frames

Not available for Peninsula models.



*Matte Black
(Shown on Cherry Mantel)*



*Hammered Pewter
(Shown on Oak Mantel)*

Decorative Louvers



Decorative Louver Mission



Decorative Louver Arch

Liners



*Herringbone Brick
(Ceramic Fiber)*

*Aged Brick
(Ceramic Fiber)*

*Banded Brick
(Ceramic Fiber)*

*Stacked Limestone
(Ceramic Fiber)*

*Black Reflective
(Metal)*

Availability varies by product – see dealer.


Accessories

Accessories

Your Direct-Vent Fireplace requires a barrier to protect against touching the hot glass. Choose a simple Barrier Screen for an ultra-clean look or opt for the Door Frame with Barrier Screen plus Hinges to accept an operable door set. Screens, Frames, and Doors are available in Matte Black only.

Please note: a Barrier Screen is already included in the Deluxe Clean-Face models.


Door Frame with Barrier Screen



Door Frame with Barrier Screen (Matte Black Only)

Decorative Doors – include handles

Matte Black Only. Requires Door Frame with Barrier Screen



*Decorative Doors, Rectangle
(Deluxe, Premium, and Luxury Models)*



*Decorative Doors, Arch
(Deluxe Models Only)*



*Decorative Doors, Mission Rectangle
(Deluxe Models Only)*




*Decorative Doors, Mission Arch
(Deluxe Models Only)*

Minimum Framing Dimensions for Deluxe, Premium, & Luxury Models *(in inches)*

Model	A	B	C
DVD32FP	35-3/4	34-3/8	16-3/8
DVD36FP	35-3/4	37-3/8	16-3/8
DVD42FP	37-3/4	43-3/8	16-3/8
DVD48FP	37-3/4	49-3/8	16-3/8
DVP36FP	37-3/4	39-3/8	19-7/8
DVCD32FP	39	35-1/4	18
DVCD36FP	39	38-1/4	18
DVCD42FP	41	44-1/4	18
DVP42FP	37-3/4	43-3/8	19-7/8
DVP48FP	37-3/4	49-3/8	19-7/8
DVX36FP	40-7/8	39-3/8	19-7/8
DVX42FP	40-7/8	43-3/8	19-7/8

See owners manual for complete dimensions.




Deluxe, Clean-Face Deluxe, Premium, and Luxury


Minimum Framing Dimensions for Multisided Models *(in inches)*

Model	A	B	C
DVP36PP	41-1/2	39	23
DVP36SP	41-1/2	40	23

See owners manual for complete dimensions.



Peninsula



See-Through

Warranty for All Models

10-year limited warranty on combustion chamber; limited lifetime on glass.
All other parts carry a 3-year limited warranty.
All Remote Controls carry a 1-year limited warranty.

All direct-vent fireplaces manufactured after January 1, 2015, must be installed with a barrier screen to prevent accidental contact with hot glass. Depending on the fireplace model, the barrier screens are available separately or incorporated into decorative fronts. See owner's manual for details.

Refer to your Owner's Manual for complete installation and safety information.

Gas Inlet for All Models

Type of Gas	Natural or LP
Iron Pipe Size (N.P.T.)	1/2 inch

Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos.

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



SINCE 1932

Empire Comfort Systems Inc.
 918 Freeburg Ave.
 Belleville, IL 62220-2623
 info@empirecomfort.com

WMH-00641 4/01/18

The Empire Comfort Systems and White Mountain Hearth names and logos are registered U.S. trademarks.